

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>
099PA-505001050	2007418	Improved	1.00
100CL-707004050	1524519	Vacant	0.34
100CL-707009050	1530847	Improved	0.98
100TR-505005250	2192045	Vacant	1.14
101SP-303001650	1579596	Vacant	1.00
101SP-303001650	2223190	Vacant	0.33
101SP-303002650	1542999	Improved	0.94
101SP-303002910	1533480	Vacant	0.95
101SP-303002940	2002890	Vacant	1.00
101SP-303003000	2245273	Vacant	1.00
101SP-303003500	1056158	Vacant	0.65
101SP-303004650	1055821	Vacant	0.65
103MA-303005000	2214111	Vacant	1.07
103PA-404001150	2200279	Improved	1.41
103PA-404004900	2182938	Improved	1.09
251ST-505007600	1048717	Improved	0.42
AYLES-505042300	2076061	Improved	0.93
CODER-505002200	1571126	Improved	0.75
CODER-505002980	2235536	Vacant	1.00
CODER-505003000	2235535	Vacant	1.00
CODER-505003250	2074045	Improved	2.87
CODER-505003250	2186998	Improved	3.45
CODER-505004600	2201531	Vacant	1.15
CODER-505006050	1510374	Improved	1.01
CODER-505006050	2220121	Improved	1.00
DUVAL-505001050	1513702	Improved	1.83
DUVAL-505005200	2012089	Improved	0.48
DUVAL-505006600	1566717	Improved	0.35
DUVAL-505007400	2228926	Improved	1.08
DUVAL-505007450	2183996	Vacant	2.31
DUVAL-505007550	1531049	Improved	0.74
HOLDF-505018100	1559975	Vacant	0.53
KEELE-505001700	1528168		0.94
KEELE-505004700	2206822		1.91
KEELE-505009200	2005472		2.00
KEELE-505009300	2216873		2.50