

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>
ILEAL-303000400	1574041	Vacant	0.76
ILEAL-303002750	2254746	Vacant	0.43
ILEAL-404003500	2239173	Vacant	1.45
ILEAL-404003600	2218570	Improved	0.66
ILEAL-404004300	1509886	Improved	0.52
ILEAL-505001250	1571345	Improved	1.00
ILEAL-505003780	2219132	Improved	0.91
ILEAL-505007100	1516567	Vacant	0.71
ILEAL-505007600	1531030	Vacant	0.91
ILEAL-505009050	1568612	Improved	0.99
ILEAL-505011450	1521660	Improved	1.05
ILEAL-505011600	2076193	Improved	0.75
ILEAL-505016250	1541430	Vacant	1.00
ILEAL-505017724	1559188	Vacant	2.02
ILEAL-505017982	2076648	Improved	1.87
ILEAL-505017983	2076649	Improved	2.05
ILEAL-505021000	2195459	Vacant	0.47
ILEAL-505050100	1544526	Vacant	0.77
ILEAL-505050200	1544527	Vacant	0.77
ILEAL-505050300	1559202	Vacant	0.91
ILEAL-505050400	1556743	Vacant	0.90
ILEAL-505050500	2045312	Vacant	1.13
ILEAL-505050700	1555260	Vacant	0.90
ILEAL-505080000	2197275	Vacant	1.32
ILEAL-505080100	2197276	Vacant	1.32
ILEAL-505080200	2193888	Vacant	1.37
ILEAL-505080300	2193889	Vacant	1.37
ILEAL-505080700	2016550	Vacant	1.15
ILEAL-505080800	1560558	Vacant	1.16
ILEAL-505080900	1529363	Vacant	1.09