

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
490-000422201	2019097	Improved	0.87	MAF_490_TEMP	4,360
490-000433401	2219620	Improved	1.06	MAF_490_TEMP	4,360
490-000606301	2230427	Improved	0.98	MAF_490_TEMP	4,360
490-000614100	1564965	Improved	1.18	MAF_490_TEMP	4,360
490-000702204	2218325	Improved	1.00	MAF_490_TEMP	4,360
490-000705408	1568127	Improved	1.04	MAF_490_TEMP	4,360
490-000714307	2205898	Improved	1.09	MAF_490_TEMP	4,360
490-000714310	1572351	Vacant	2.06	VL_491_TEMP	4,330
490-000714311	1572352	Vacant	2.06	VL_491_TEMP	4,330
490-000714406	1514159	Vacant	0.91	VL_491_TEMP	4,330
490-000714410	2056835	Improved	0.96	MAF_490_TEMP	4,360
490-000716202	1526763	Improved	1.00	MAF_490_TEMP	4,360
490-000716412	2065662	Improved	1.14	MAF_490_TEMP	4,360
490-000716430	1540118	Improved	0.93	MAF_490_TEMP	4,360
490-000717200	1517422	Improved	0.96	MAF_490_TEMP	4,360
490-000720102	1565205	Improved	0.93	MAF_490_TEMP	4,360
490-000722303	1556768	Vacant	0.95	VL_491_TEMP	4,330
490-000722304	1558089	Vacant	0.92	VL_491_TEMP	4,330
490-000735401	2003436	Improved	1.20	MAF_490_TEMP	4,360
490-000735404	1506686	Vacant	0.61	VL_491_TEMP	4,330
490-000936200	2019091	Improved	1.21	MAF_490_TEMP	4,360
490-000936301	1518601	Improved	0.99	MAF_490_TEMP	4,360
490-001004401	2219023	Improved	0.70	MAF_490_TEMP	4,360
490-001017201	2076694	Improved	0.69	MAF_490_TEMP	4,360
491-000131208	1501839	Vacant	1.01	VL_491_TEMP	4,330
491-000132290	2149683	Vacant	1.18	VL_491_TEMP	4,330
491-000426210	923933	Vacant	1.11	VL_491_TEMP	4,330
491-000504124	1517736	Vacant	0.92	VL_491_TEMP	4,330
491-000504131	1517737	Vacant	0.91	VL_491_TEMP	4,330
491-000504133	1521257	Vacant	1.00	VL_491_TEMP	4,330
491-000504134	2102323	Vacant	1.17	VL_491_TEMP	4,330
491-000511350	1561880	Vacant	1.00	VL_491_TEMP	4,330
491-000512460	957152	Vacant	1.00	VL_491_TEMP	4,330
491-000707301	2213377	Vacant	1.00	VL_491_TEMP	4,330
491-000804417	1548412	Vacant	1.22	VL_491_TEMP	4,330
491-001210404	1522186	Vacant	1.00	VL_491_TEMP	4,330
491GA-182000500	797634	Vacant	1.14	VL_491_TEMP	4,330
491GA-182001200	841800	Vacant	0.72	VL_491_TEMP	4,330
491GA-182003800	855657	Vacant	1.17	VL_491_TEMP	4,330
491GA-182003900	887543	Vacant	1.32	VL_491_TEMP	4,330
491GA-182004100	1548625	Vacant	1.20	VL_491_TEMP	4,330
491GA-211700265	1019014	Vacant	0.83	VL_491_TEMP	4,330
491GA-211700310	1021094	Vacant	0.86	VL_491_TEMP	4,330
491SB-505009000	1001453	Vacant	0.52	VL_491_TEMP	4,330
491SB-505107600	2187224	Vacant	0.90	VL_491_TEMP	4,330
491SB-505107700	2187205	Vacant	0.84	VL_491_TEMP	4,330

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
491SB-505207200	819136	Vacant	1.21	VL_491_TEMP	4,330