

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
EBENE-505003000	1559566	Improved	1.18	MAF_EBENE	4,521
EBENE-505005550	2201999	Improved	2.45	MAF_EBENE	4,521
EBENE-505006850	1506694	Improved	0.99	MAF_EBENE	4,521
EBENE-505006900	1553027	Improved	0.82	MAF_EBENE	4,521
EBENE-505007200	1562339	Vacant	0.84	VL_Ebene	4,520
EBENE-505008450	2216996	Improved	1.11	MAF_EBENE	4,521
EBENE-505010500	2188866	Improved	1.71	MAF_EBENE	4,521
EBENE-505010850	2210842	Vacant	1.61	VL_Ebene	4,520
EBENE-505010950	2223869	Improved	0.64	MAF_EBENE	4,521
EBENE-505011300	947393	Vacant	1.00	VL_Ebene	4,520
EBENE-505011550	1045136	Vacant	1.00	VL_Ebene	4,520
EBENE-505013350	2222972	Improved	0.84	MAF_EBENE	4,521
EBENE-505013800	2004041	Improved	0.95	MAF_EBENE	4,521
EBENE-505014750	958591	Vacant	1.14	VL_Ebene	4,520