

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
HODGE-505000900	1503480	Improved	1.16	MAF_HODGE	3,520
HODGE-505002100	1544151	Improved	0.89	MAF_HODGE	3,520
HODGE-505002750	2001595	Improved	0.61	MAF_HODGE	3,520
HODGE-505002850	1545798	Vacant	0.20	VL_HODGE	3,519
HODGE-505003150	2018834	Vacant	1.00	VL_HODGE	3,519
HODGE-505003200	2197842	Vacant	0.94	VL_HODGE	3,519
HODGE-505005100	2186294	Improved	0.59	MAF_HODGE	3,520
HODGE-505005500	2232485	Improved	1.66	MAF_HODGE	3,520
HODGE-505006250	1505927	Improved	1.19	MAF_HODGE	3,520
HODGE-505006350	2235944	Vacant	0.65	VL_HODGE	3,519
HODGE-505006400	2136525	Improved	1.36	MAF_HODGE	3,520
HODGE-505007400	2074248	Improved	1.32	MAF_HODGE	3,520
HODGE-505008500	1531007	Improved	0.64	MAF_HODGE	3,520
HODGE-505009050	1582172	Improved	1.17	MAF_HODGE	3,520
HODGE-505009850	2214265	Improved	1.06	MAF_HODGE	3,520
HODGE-505010450	1533883	Improved	0.54	MAF_HODGE	3,520
HODGE-505011250	1557346	Vacant	1.42	VL_HODGE	3,519
HODGE-505011250	2237706	Vacant	0.95	VL_HODGE	3,519
HODGE-505011350	2011887	Improved	0.80	MAF_HODGE	3,520
HODGE-505011750	1563969	Vacant	1.34	VL_HODGE	3,519
HODGE-505014500	2203010	Vacant	1.81	VL_HODGE	3,519
HODGE-505014550	2203000	Vacant	1.80	VL_HODGE	3,519
HODGE-505014650	2229545	Vacant	1.48	VL_HODGE	3,519
HODGE-505016050	2227051	Vacant	0.60	VL_HODGE	3,519
HODGE-505016350	2082743	Vacant	0.68	VL_HODGE	3,519
HODGE-505016350	2233361	Vacant	1.09	VL_HODGE	3,519
HODGE-505023600	2217240	Improved	1.26	MAF_HODGE	3,520
HODGE-505023700	1543127	Improved	0.94	MAF_HODGE	3,520