

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
MORSE-505000900	1542109	Improved	1.47	MAF_MORSE	3,503
MORSE-505002850	2078601	Improved	1.09	MAF_MORSE	3,503
MORSE-505006400	1567619	Improved	0.51	MAF_MORSE	3,503
MORSE-505006950	2208128	Improved	1.00	MAF_MORSE	3,503
MORSE-505007300	2239571	Improved	1.80	MAF_MORSE	3,503
MORSE-505007750	1581253	Improved	0.25	MAF_MORSE	3,503
MORSE-505009550	2214754	Improved	0.62	MAF_MORSE	3,503
MORSE-505010350	2011121	Vacant	0.21	VL_MORSE	3,501
MORSE-505010650	2197261	Improved	0.56	MAF_MORSE	3,503
MORSE-505011350	1562491	Vacant	0.91	VL_MORSE	3,501
MORSE-505011450	1502474	Vacant	1.38	VL_MORSE	3,501
MORSE-505011500	2180853	Improved	1.18	MAF_MORSE	3,503
MORSE-505012450	2050672	Improved	1.00	MAF_MORSE	3,503
MORSE-505023000	2124735	Improved	0.90	MAF_MORSE	3,503
MORSE-505023750	2222869	Improved	0.92	MAF_MORSE	3,503
MORSE-505024900	1580556	Improved	1.34	MAF_MORSE	3,503
MORSE-505037400	2011129	Vacant	1.12	VL_MORSE	3,501
MORSE-505038400	2252169	Improved	1.94	MAF_MORSE	3,503