

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
RICHM-505001150	2189768	Improved	1.02	MAF_RICHM	3,505
RICHM-505001750	1517297	Vacant	0.76	VL_RICHM	3,502
RICHM-505001900	1502946	Improved	0.76	MAF_RICHM	3,505
RICHM-505002150	1529008	Improved	1.62	MAF_RICHM	3,505
RICHM-505004900	2235191	Vacant	1.01	VL_RICHM	3,502
RICHM-505004950	2235193	Vacant	1.01	VL_RICHM	3,502
RICHM-505005600	1508520	Improved	0.50	MAF_RICHM	3,505
RICHM-505005600	2229126	Improved	1.06	MAF_RICHM	3,505
RICHM-505005700	2011617	Improved	0.57	MAF_RICHM	3,505
RICHM-505006050	1558649	Improved	0.58	MAF_RICHM	3,505
RICHM-505007300	1500393	Improved	1.29	MAF_RICHM	3,505
RICHM-505007300	2098530	Improved	0.98	MAF_RICHM	3,505
RICHM-505008250	1539835	Improved	1.58	MAF_RICHM	3,505
RICHM-505009400	1541440	Vacant	0.97	VL_RICHM	3,502