

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
STLOU-505000350	2092484	Vacant	2.20	STLOU_VL	4,028
STLOU-505002150	2183274	Improved	1.39	MAF_STLOU	4,029
STLOU-505002450	2045197	Vacant	0.76	STLOU_VL	4,028
STLOU-505002700	2003492	Improved	1.06	MAF_STLOU	4,029
STLOU-505003600	2231664	Vacant	0.54	STLOU_VL	4,028
STLOU-505005050	2019207	Improved	0.97	MAF_STLOU	4,029
STLOU-505005500	2180558	Improved	1.11	MAF_STLOU	4,029
STLOU-505006850	1580767	Improved	0.73	MAF_STLOU	4,029
STLOU-505008250	2158867	Improved	0.74	MAF_STLOU	4,029
STLOU-505009150	1523967	Improved	1.00	MAF_STLOU	4,029
STLOU-505009750	2003494	Improved	0.75	MAF_STLOU	4,029
STLOU-505010350	1556601	Improved	1.02	MAF_STLOU	4,029
STLOU-505012850	1544434	Improved	0.55	MAF_STLOU	4,029
STLOU-505025400	2210823	Vacant	1.24	STLOU_VL	4,028
STLOU-505039200	1517515	Improved	1.04	MAF_STLOU	4,029