

assessment_id	sale_id	Vacant_Improved	ASR
DINSM-505002300	888542	Vacant	2.38
DINSM-505003200	2015978	Improved	1.66
DINSM-505005000	2077197	Improved	1.02
DINSM-505005000	2194593	Improved	0.79
DINSM-505005100	850535	Vacant	0.99
DINSM-505006550	2203278	Improved	0.95
DINSM-505007100	1521961	Improved	0.82
DINSM-505007800	2040478	Improved	1.09
DINSM-505007950	1526685	Improved	1.68
DINSM-505008450	909894	Vacant	1.24
DINSM-505008850	2115225	Improved	1.15
DINSM-505009150	1562186	Vacant	1.01
DINSM-505009160	1563460	Vacant	0.99
DINSM-505009800	1517578	Improved	1.94
DINSM-505011600	1563415	Improved	0.70
DINSM-505011700	1524904	Improved	0.97
DINSM-505012150	1529307	Improved	0.89
DINSM-505012200	879539	Vacant	0.95
DINSM-505012300	2079647	Improved	1.00
DINSM-505012900	2022902	Improved	0.62
DINSM-505013250	1522873	Improved	2.01
DINSM-505014000	1525061	Improved	2.09
DINSM-505014150	2201512	Improved	0.84
DINSM-505016550	2241026	Improved	1.38
DINSM-505018850	2184617	Improved	0.62
DINSM-505019000	2213873	Improved	0.72
DINSM-505019750	1057492	Improved	3.08
DINSM-505022500	2102101	Improved	0.52
DINSM-505022900	2004630	Improved	1.92
DINSM-505023150	1515065	Improved	1.01
DINSM-505023250	1573061	Improved	0.73