

assessment_id	sale_id	Vacant_Improved	ASR
099PA-505006650	2349613	Improved	0.93
100CL-707010250	2260232	Improved	1.81
101SP-303002650	2364891	Improved	1.64
103MA-303000550	2315731	Improved	2.00
103MA-303000550	2408979	Improved	1.00
103MA-303004450	2321625	Improved	0.88
221PE-505002050	2364075	Improved	0.92
221PE-505004350	2368861	Improved	0.56
221PE-505005100	2361116	Improved	1.23
221PE-505030000	2332560	Improved	0.67
221PE-505035000	2378038	Improved	0.99
222AD-505016150	2344275	Improved	1.15
280VE-505000400	2325135	Improved	0.45
AYLES-505000050	2011371	Vacant	0.78
AYLES-505002250	2420327	Vacant	1.04
AYLES-505003675	2292115	Vacant	1.00
AYLES-505005850	2410521	Improved	0.97
AYLES-505006450	2408634	Vacant	1.04
AYLES-505008550	2374236	Improved	1.69
AYLES-505009700	1507417	Improved	0.72
CODER-505002200	2435408	Improved	1.07
CODER-505004450	2449723	Improved	0.82
DUVAL-505004250	2295382	Improved	2.50
DUVAL-505006250	2420027	Improved	1.22
DUVAL-505008150	2304235	Improved	0.65
DUVAL-505017000	2294003	Improved	0.82