

assessment_id	sale_id	Vacant_Improved	ASR
157ED-606009500	2244893	Vacant	1.20
157ED-606009550	2227120	Vacant	1.23
157ED-606010750	2284187	Vacant	1.00
157ED-606013150	2372201	Improved	0.67
160KE-505002350	2460036	Improved	0.50
160SB-505000050	2322680	Improved	1.26
160SB-505000150	2347526	Improved	1.04
190FL-606001150	2443848	Improved	1.00
190FL-606001250	2380837	Improved	2.77
BRIER-505000250	2446469	Vacant	4.78
BRIER-505001250	2012036	Vacant	1.28
BRIER-505005300	2437835	Vacant	1.25
BRIER-505011110	1513147	Vacant	1.00
CHAMB-505001050	2290265	Improved	2.07
CHAMB-505005500	2001602	Vacant	1.10
DRINK-505003300	2399616	Improved	1.22
DRINK-505004900	2267159	Improved	0.65
DRINK-505010950	2408532	Improved	0.92
MARQU-505002500	2190634	Vacant	0.48
MARQU-505006150	1570204	Vacant	0.83
MARQU-505006150	1577580	Vacant	0.83
MARQU-505040000	1545326	Vacant	0.74
MARQU-505040000	2110586	Vacant	0.56
SILTO-505025400	2298992	Vacant	0.56