

assessment_id	sale_id	Vacant_Improved	ASR
003BE-505001450	2438296	Vacant	1.66
003BE-505001800	1530560	Vacant	0.40
003BE-505001850	2447786	Vacant	0.71
042ST-404002300	2431082	Vacant	0.85
ALIDA-505007925	2392792	Vacant	1.87
ALIDA-505014700	1568521	Vacant	0.92
ALIDA-505014750	1569018	Vacant	1.00
ALIDA-505021150	2051624	Vacant	1.77
ALIDA-505021150	2379026	Vacant	1.47
ALIDA-505022000	2393421	Vacant	2.00
GAINS-505007000	1565693	Vacant	0.99
GAINS-505011850	2222664	Vacant	1.46
GAINS-505024200	2001556	Vacant	1.37
GLENE-505002250	2371831	Improved	0.50
GLENE-505002750	2303886	Vacant	1.10
GLENE-505003050	2441830	Improved	0.60
GLENE-505003200	2409310	Improved	1.27
GLENE-505004400	2435458	Improved	1.19
GLENE-505004500	2366730	Improved	1.02
GLENE-505010850	2222982	Improved	1.14
GLENE-505012425	2249067	Vacant	0.53
GLENE-505012425	2332300	Improved	0.93
GLENE-505014800	2203721	Vacant	1.06
GLENE-505015325	2314781	Improved	1.23
GLENE-505015750	2416496	Improved	0.99
GLENE-505017200	2324392	Improved	0.51
GLENE-505017600	2310571	Improved	0.82
GLENE-505018650	2082137	Improved	1.22
OGEMA-505010850	2367688	Vacant	0.94
OGEMA-505017150	2180222	Vacant	0.82
OGEMA-505023600	1517345	Vacant	0.90
OGEMA-505023600	2326276	Vacant	1.13
OGEMA-505023600	2432600	Vacant	0.60