

assessment_id	sale_id	Vacant_Improved	ASR
ILEAL-303000670	2286671	Vacant	1.81
ILEAL-303000670	2330415	Vacant	1.81
ILEAL-303000670	2415627	Vacant	0.98
ILEAL-303001050	2417428	Vacant	1.05
ILEAL-303001100	2392122	Improved	0.93
ILEAL-303001350	2381224	Improved	1.07
ILEAL-303002050	2334819	Vacant	0.73
ILEAL-303002700	2353392	Vacant	0.93
ILEAL-404003600	2218570	Improved	1.00
ILEAL-404003600	2326372	Improved	0.79
ILEAL-404004300	1509886	Improved	0.87
ILEAL-404004770	2401925	Vacant	1.07
ILEAL-404006500	2307955	Vacant	1.67
ILEAL-404006600	2298164	Vacant	0.74
ILEAL-404006700	2403654	Vacant	0.96
ILEAL-404007000	2383801	Vacant	1.11
ILEAL-404007500	2373804	Vacant	0.74
ILEAL-404010400	2445933	Improved	0.88
ILEAL-505001250	1571345	Improved	0.92
ILEAL-505003600	2327061	Vacant	1.00
ILEAL-505003650	2327062	Vacant	1.33
ILEAL-505003780	2219132	Improved	0.81
ILEAL-505005750	2295868	Improved	0.99
ILEAL-505008100	2395845	Improved	1.21
ILEAL-505009050	1568612	Improved	1.00
ILEAL-505010350	2381008	Improved	1.18
ILEAL-505011400	2329595	Improved	1.00
ILEAL-505011450	1521660	Improved	0.86
ILEAL-505011600	2076193	Improved	0.79
ILEAL-505017976	2295097	Improved	2.06
ILEAL-505017980	2330669	Vacant	1.39
ILEAL-505017982	2076648	Improved	1.68
ILEAL-505017983	2076649	Improved	1.85
ILEAL-505050000	2333718	Vacant	1.00
ILEAL-505050700	2384253	Vacant	0.71
ILEAL-505050700	2448018	Vacant	0.71
ILEAL-505080700	2374246	Vacant	0.50