

assessment_id	sale_id	Vacant_Improved	ASR
MORSE-505000650	2307684	Improved	0.79
MORSE-505000650	2470219	Improved	0.84
MORSE-505000900	2257791	Improved	1.25
MORSE-505001050	2387875	Improved	0.78
MORSE-505006250	2431650	Improved	0.65
MORSE-505007150	2312504	Improved	0.99
MORSE-505007150	2411602	Improved	0.98
MORSE-505008350	2441845	Improved	1.14
MORSE-505008750	2294597	Vacant	0.47
MORSE-505008875	2294584	Improved	3.64
MORSE-505009200	2296274	Improved	1.77
MORSE-505010350	2011121	Vacant	0.52
MORSE-505010650	2356181	Improved	0.74
MORSE-505011350	1562491	Vacant	1.73
MORSE-505011450	1502474	Vacant	1.73
MORSE-505011650	2394975	Improved	1.34
MORSE-505012450	2334630	Improved	0.98
MORSE-505016950	2393703	Improved	0.99
MORSE-505017350	2432122	Improved	1.53
MORSE-505022900	2383838	Improved	1.01
MORSE-505023300	2399065	Improved	0.86
MORSE-505023450	2439370	Improved	1.00
MORSE-505023950	2374786	Improved	0.82
MORSE-505024000	2433664	Improved	1.08
MORSE-505026550	2436171	Improved	1.18
MORSE-505034450	2406474	Vacant	0.24
MORSE-505035000	2389401	Vacant	1.73
MORSE-505037400	2011129	Vacant	1.02